HIGH-FIDELITY SIMULATION OF THE ADVANCED PLANETARY EXCAVATOR (APEX) MANIPULATOR FOR IN-SITU RESOURCE UTILIZATION TECHNOLOGY DEVELOPMENT

A. Schepelmann, E.T. Rezich, K.A. Johnson, M.P. Proctor
NASA Glenn Research Center, Cleveland, OH 44135

Space Resources Roundtable XXII Meeting, Golden, CO
June 2022

ISRU REQUIRES NOVEL TOOLS. DEVELOPMENT IS CHALLENGING.

- Lengthy development time for TRL 7+
- Limited testing capabilities due to environment differences
- Unoptimized tools waste resources

SIMULATION CAN SPEED UP THIS PROCESS

High-fidelity, physics-based simulation can reduce the time, effort, and cost required to develop and deploy robotic systems that are optimized for their operating environment.

ADVANCED PLANETARY EXCAVATOR (APEX) ROBOTIC MANIPULATOR

- 4 degrees of freedom, fully electric
- Real-time, full-state logging
- Characterize excavation force/power

TOOL DEVELOPMENT APPROACH

RIGID-BODY PHYSICS MODEL

APEX Simscape Multibody Model

- Virtual reassembly with Inertia Tensors + CoMs
- Control loop + sensor simulations
- Data-driven friction models at relevant DoFs

GROUND CONTACT MODELING

$$T = w\left[\left(0.5g\gamma t^2\{\tan^2(45+0.5\rho)\}d_1 + \frac{e^{2w'\tan\rho}-1}{4\tan\rho}r_0^2 g\gamma d_2 + gqt\{\tan^2(45+0.5\rho)\}d_4\right)d_3^{-1}\right] + w\left[\left(0.5(r_1^2-r_0^2)\frac{c}{\tan\rho} + 2ct\{\tan(45+0.5\rho)\}d_4 + \frac{gqt}{\sin(45-0.5\rho)}d_5 + C_a l d_7\right)d_6^{-1}\right] \quad (1)$$

DEM Simulation
Top: Yade [1], *Bot:* LIGGGHTS [2]

Rigid Body Physics Simulation
Top: Blender, *Bot:* NVIDIA Warp [3]

Other Methods
Top: LP Models [4], *Bot:* Data-Driven [5]

[1] V. Šmilauer *et al. Yade Documentation 3rd ed*. The Yade Project, 2021.
[2] C. Kloss *et al. Enhancing LAMMPS Capabilities*. 2nd LAMMPS Workshop, August 2011.
[3] M. Macklin. *Warp: A High-performance Python Framework for GPU Simulation and Graphics.* NVIDIA GTC, March 2022.
[4] A. Wilkinson and A. DeGennaro. *Digging and pushing lunar regolith: Classical soil mechanics and the forces needed for excavation and traction.* J. Terramechanics, November 2006.
[5] M. Wu and J. Wang. *Estimating Contact Force Chains Using Artificial Neural Networks.* Applied Sciences, July 2021.

TOOL OPTIMIZATION

Top: Topology Optimization [6]
Bot: Stochastic Parameter Optimization

- Truly optimal design
- Computationally intensive

- Optimal *a priori* design
- Faster convergence

[6] A. Chowdhury. *6 Main Benefits of Topology Optimization. Is It the Future of Engineering?* OpenBusinessCouncil.org, Accessed: 2022.

CONCLUSION

- Optimal designs require simulation
- Fidelity/computation trade-offs
- Investigating contact modeling

THANK YOU!